



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/735,446	12/13/2000	Thomas P. Murphy	56945.000004	7890

7590 07/19/2007
Kevin T. Duncan, Esq.
Hunton & Williams
Suite 1200
1900 K Street, N.W.
Washington, DC 20006

EXAMINER

CARLSON, JEFFREY D

ART UNIT	PAPER NUMBER
----------	--------------

3622

MAIL DATE	DELIVERY MODE
-----------	---------------

07/19/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

20070709

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply brief filed 5/14/2007 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

Jeffrey D. Carlson
Primary Examiner
Art Unit: 3622

Response to Reply Brief


The reply brief filed 5/14/2007 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey D. Carlson whose telephone number is 571-272-6716. The examiner can normally be reached on Mon-Fri 8a-5:30p, (work from home on Thursdays).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eric Stamber can be reached on (571)272-6724. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Jeffrey D. Carlson
Primary Examiner
Art Unit 3622

5/14/07

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES**

<i>In re</i> Application of :)	Confirmation No. 7890
)	
Thomas P. MURPHY, <i>et al.</i>)	Examiner: Jeffrey D. Carlson
)	
Serial No.: 09/735,446)	Group Art Unit: 3622
)	
Filed: December 13, 2001)	
)	
For: SYSTEM AND METHOD FOR		
REMOTELY PROVIDING		
INCENTIVES TO PURCHASERS		

MAIL STOP APPEAL BRIEF - PATENTS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REPLY BRIEF UNDER 37 C.F.R. § 41.41

In response to This brief is in reply the Examiner's Answer dated January 16, 2007

Appellants enclose a Reply Brief under 37 C.F.R. § 41.41. Applicants submit that the Reply Brief is in full compliance with the requirements of 37 C.F.R. 41.37. Appellants respectfully request that the Reply Brief be accepted and further that the Board of Patent Appeals and Interferences reconsider and withdraw the rejections of record, and allow the pending claims, which are attached hereto.